

Milestone Systems XProtect® Video Management Software Product Comparison Chart

XProtect 2017 R2

June 8, 2017



Contents

Introduction	3
High-level XProtect VMS product comparison	4
Detailed XProtect VMS products comparison chart	5
High-level XProtect client comparison	10
Detailed XProtect client comparison	11

Introduction

As the world's leading provider of open platform IP video management software (VMS), Milestone Systems offers a wider range of VMS products optimized for different types of deployment and usage. This document provides an in-depth comparable outline of Milestone's XProtect® VMS products and the associated clients.

The document is intended as a technical sales tool with two primary purposes:

Provide an overview of the features that each XProtect product provides
 Support the selection of the optimal product by offering a visible comparison between the various products in the XProtect product range

The document presents separate comparison charts for the XProtect VMS platform products and the XProtect clients, where each product category has an overview comparison chart, followed by a more detailed and comprehensive chart.

The following XProtect VMS platform products are covered:

- XProtect® Corporate
- XProtect® Expert
- XProtect[®] Professional+
- XProtect[®] Professional
- XProtect[®] Express+
- XProtect[®] Express
- XProtect[®] Essential+

The following XProtect clients are covered:

- XProtect® Smart Client
- XProtect® Web Client
- Milestone Mobile

The document does not cover XProtect add-on products or Milestone Utilities.

The information in this document only provides basic information. Refer to the individual product specification sheets for a complete listing of all features for a given XProtect product.

Milestone reserves the right to change the product specifications without prior notice.

High-level XProtect VMS product comparison

The table below gives an overview of Milestone's XProtect VMS products and their key capabilities.

XProtect VMS Products	XProtect Essential+	XProtect Express	XProtect Express+	XProtect Professional	XProtect Professional+	XProtect Expert	XProtect Corporate
Key Features							
Type of deployment	Single-server	Single-server	Single-server	Multi-server	Centrally managed, multi-server	Centrally managed, multi-server	Centrally managed, distributed sites
Licensing	Free	Perpetual	Perpetual	Perpetual	Perpetual	Perpetual	Perpetual
Number of hardware devices ⁽¹⁾ per software license	8	48	48	Unrestricted (2)	Unrestricted	Unrestricted	Unrestricted
Number of cameras ⁽³⁾ per recording server	8	48	48	320	Unrestricted	Unrestricted	Unrestricted
Number of recording servers per system	1	1	1	Unrestricted	Unrestricted	Unrestricted	Unrestricted
Maximum numbers of users	Unrestricted	5	Unrestricted	Unrestricted	Unrestricted	Unrestricted	Unrestricted
Customer Dashboard and Connected Services ⁽⁴⁾	-	Supported	Supported	Supported	Supported	Supported	Supported
Alarm Manager	-	Yes ⁽⁵⁾	Yes	Yes	Yes	Yes	Yes
Video out via Milestone ONVIF Bridge	-	Yes	Yes	Yes	Yes	Yes	Yes
Dual authorization (Smart Client users)	-	Yes	Yes	Yes	Yes	Yes	Yes
Supports XProtect Smart Client, XProtect Web Client and Milestone Mobile	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Secure HTTPS camera connectivity (on supported devices)	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Map function	Yes	Yes ⁽⁶⁾	Yes	Yes	Yes	Yes	Yes
Third-party application integration and support for video analytics ⁽⁷⁾	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Built-in Video Motion Detection (VMD) with Auto adjustable VMD sensitivity	Yes	Yes	Yes	Yes	Yes	Yes	Yes
H.264, MJPEG, MPEG-4, MPEG-4 ASP & MxPEG	Yes	Yes	Yes	Yes	Yes	Yes	Yes
H.265	Yes	-	Yes	-	Yes	Yes	Yes
Microsoft Active Directory support	Yes	-	Yes	Yes	Yes	Yes	Yes
Kerberos authentication	Yes	-	Yes	-	Yes	Yes	Yes
Metadata support	Yes	-	Yes	-	Yes	Yes	Yes
Centralized management	Yes	-	Yes	-	Yes	Yes	Yes
Flexible event rule engine	Yes	-	Yes	-	Yes	Yes	Yes
Hardware accelerated video decoding for Video Motion Detection (VMD)	Yes	-	Yes	-	Yes	Yes	Yes
Edge Storage and Scalable Video Quality Recording™	-	-	-	-	Yes	Yes	Yes
Smart Map function	-	-	-	-	-	Yes	Yes
Media database encryption and digital signing	-	-	-	-	-	Yes	Yes
Hot- & cold-failover recording server	-	-	-	-	-	Yes	Yes
Evidence Lock	-	-	-	-	-	-	Yes
Supports XProtect Smart Wall	-	-	-	-	-	Option	Included
Milestone Federated Architecture™	-	-	-	-	-	Remote site	Central/ Remote site
Milestone Interconnect™	-	Remote site	Remote site	Remote site	Remote site	Remote site	Central/ Remote site

Notes:

- (1) A hardware devices is the physical unit, server or system connected to the VMS' recording server
- (2) For most installations larger than 250 cameras, Milestone recommends using XProtect Professional+, XProtect Expert or XProtect Corporate
- (3) A camera is the actual camera or video source on the hardware device connected to the VMS' recording server
- (4) Requires active Milestone Care Plus coverage
- (5) Limited alarm management functionality
- (6) Supports a single-layer, interactive map, without alarm integration
- (7) Using Milestone Integration Platform (MIP)

Detailed XProtect VMS products comparison chart

The table below gives a detailed listing of all major features in the different XProtect VMS products. The features are organized into categories for increased readability.

XProtect VMS Products	XProtect Essential+	XProtect Express	XProtect Express+	XProtect Professional	XProtect Professional+	XProtect Expert	XProtect Corporate
Features							
System components (software modules)							
Recording server	✓	✓	✓	✓	✓	✓	✓
Hot- & cold-failover recording server	-	-	-	-	-	√	✓
Maximum number of hardware devices ⁽¹⁾ or cameras ⁽²⁾ per recording server	8	48	48	320(3)	Unrestricted	Unrestricted	Unrestricted
Maximum number of recording servers per system	1	1	1	Unrestricted	Unrestricted	Unrestricted	Unrestricted
Recording server manager	✓	✓	✓	✓	✓	✓	✓
Management server	✓	-	✓	-	✓	✓	✓
Management failover server (redundant cluster)	✓	-	✓	-	✓	✓	✓
Management application (local management) Management client (dedicated client application for		√ -	-	✓ -	-	-	
local or remote management)							V
Event server (for handling of events and alarms)	✓	√	✓	✓	✓	√	✓
Failover event server (redundant cluster)	✓	-	✓	-	✓	✓	√
Milestone Mobile (server and client)	✓	✓	✓	✓	✓	√	✓
XProtect Smart Client	✓	✓	✓	✓	✓	✓	✓
XProtect Web Client	✓	✓	✓	✓	✓	√	✓
XProtect Smart Client - Player (local playback/export)	✓	✓	✓	✓	✓	✓	✓
Run servers as Windows Services	✓	✓	✓	✓	✓	✓	✓
Licensing							
Licensing	8 devices free	Perpetual	Perpetual	Perpetual	Perpetual	Perpetual	Perpetual
Distributed operation							
Milestone Interconnect™	-	Remote site	Remote site	Remote site	Remote site	Remote site	Central/ Remote site
Milestone Federated Architecture™	-	-	-	-	-	Remote site	Central/ Remote site
Remote camera connection via Remote Connection Service	-	-	-	-	-	-	✓
Device support							
Support for ONVIF™ & PSIA compliant devices	✓	✓	✓	✓	✓	✓	✓
Generic device support via Milestone universal driver	✓	✓	✓	✓	✓	✓	✓
Metadata from camera embedded analytics	✓	-	✓	-	✓	✓	✓
Number of supported IP devices ⁽⁴⁾	5800+	6000+	F000 -	cooo.	5800+	5800+	
		0000	5800+	6000+	30001	3000±	5800+
Secure HTTPS camera connectivity (on supported devices)	√	√	√	√	√	√	5800+
devices) Video processing		✓	√	√	√	√	√
devices) Video processing H.264, MJPEG, MPEG-4, MPEG-4 ASP and MxPEG	√	√ ✓	√ ✓	√ ✓	√ ✓	√ ✓	√ ✓
devices) Video processing H.264, MJPEG, MPEG-4, MPEG-4 ASP and MxPEG H.265	√ √	√	√ √ √	√	\frac{1}{\sqrt{1}}	\frac{1}{\sqrt{1}}	\frac{1}{\sqrt{1}}
devices) Video processing H.264, MJPEG, MPEG-4, MPEG-4 ASP and MxPEG H.265 Metadata support	√ √ √	√	\frac{1}{\sqrt{1}}	√	\frac{1}{\sqrt{1}}	\frac{1}{\frac{1}{2}}	\frac{1}{1}
devices) Video processing H.264, MJPEG, MPEG-4, MPEG-4 ASP and MxPEG H.265 Metadata support Dual stream (live and recording) per camera	√ √	√	√ √ √	√	\frac{1}{\sqrt{1}}	\frac{1}{\sqrt{1}}	\frac{1}{\sqrt{1}}
devices) Video processing H.264, MJPEG, MPEG-4, MPEG-4 ASP and MxPEG H.265 Metadata support Dual stream (live and recording) per camera Multi-live streaming	√ √ √	√	\frac{1}{\sqrt{1}}	√	\frac{1}{\sqrt{1}}	\frac{1}{\frac{1}{2}}	\frac{1}{1}
devices) Video processing H.264, MJPEG, MPEG-4, MPEG-4 ASP and MxPEG H.265 Metadata support Dual stream (live and recording) per camera Multi-live streaming Client video stream down sampling (resolution and FPS) option	\frac{1}{\sqrt{1}}	\frac{1}{\sqrt{2}} - \frac{1}{\sqrt{2}}	\frac{1}{\sqrt{1}}	\frac{1}{\sqrt{2}}	\(\frac{1}{2} \)	\frac{1}{\sqrt{1}}	\frac{1}{\sqrt{1}}
devices) Video processing H.264, MJPEG, MPEG-4, MPEG-4 ASP and MxPEG H.265 Metadata support Dual stream (live and recording) per camera Multi-live streaming Client video stream down sampling (resolution and FPS) option Adjustable GOP size (MPEG4/H.264/H.265)	\frac{1}{}	\frac{1}{\sqrt{2}}	\frac{1}{\sqrt{1}}	\frac{1}{\sqrt{2}}	\frac{1}{\sqrt{1}}	\(\frac{1}{2} \)	\(\frac{1}{2} \)
devices) Video processing H.264, MJPEG, MPEG-4, MPEG-4 ASP and MxPEG H.265 Metadata support Dual stream (live and recording) per camera Multi-live streaming Client video stream down sampling (resolution and FPS) option Adjustable GOP size (MPEG4/H.264/H.265) Send camera pre-alarm images (pre-recording buffer) to recording server	\frac{1}{\sqrt{1}}	\frac{1}{\sqrt{2}}	\frac{1}{\sqrt{1}}	\frac{1}{\sqrt{2}}	\(\frac{1}{4} \)	\(\frac{1}{4} \)	J J J J J J J J J J J J
devices) Video processing H.264, MJPEG, MPEG-4, MPEG-4 ASP and MxPEG H.265 Metadata support Dual stream (live and recording) per camera Multi-live streaming Client video stream down sampling (resolution and FPS) option Adjustable GOP size (MPEG4/H.264/H.265) Send camera pre-alarm images (pre-recording	\frac{}{}	\frac{1}{\sqrt{2}}	\frac{1}{\sqrt{1}}	\frac{1}{\sqrt{2}}	\frac{1}{\sqrt{1}}	\(\frac{1}{2} \)	/ / / / / / /
devices) Video processing H.264, MJPEG, MPEG-4, MPEG-4 ASP and MxPEG H.265 Metadata support Dual stream (live and recording) per camera Multi-live streaming Client video stream down sampling (resolution and FPS) option Adjustable GOP size (MPEG4/H.264/H.265) Send camera pre-alarm images (pre-recording buffer) to recording server Video recording speed up on motion, event or time	\frac{1}{\sqrt{1}}	\frac{1}{\sqrt{1}}	\frac{1}{\sqrt{1}}	\frac{1}{\sqrt{2}}	\(\frac{1}{\sqrt{1}} \)	\(\frac{1}{4} \) \(\frac{1}{	J J J J J J J J J J J J J
devices) Video processing H.264, MJPEG, MPEG-4, MPEG-4 ASP and MxPEG H.265 Metadata support Dual stream (live and recording) per camera Multi-live streaming Client video stream down sampling (resolution and FPS) option Adjustable GOP size (MPEG4/H.264/H.265) Send camera pre-alarm images (pre-recording buffer) to recording server Video recording speed up on motion, event or time schedule	\frac{\sqrt{\chi}}{\sqrt{\chi}} \frac{\sqrt{\chi}}{\sqrt{\chi}} \frac{\sqrt{\chi}}{\sqrt{\chi}} \frac{\sqrt{\chi}}{\sqrt{\chi}} \frac{\sqrt{\chi}}{\sqrt{\chi}}	\frac{1}{\sqrt{2}}	\frac{1}{\sqrt{1}}	\frac{1}{\sqrt{2}}	\frac{1}{\sqrt{1}}	\(\frac{1}{2} \)	\frac{1}{\sqrt{1}}
devices) Video processing H.264, MJPEG, MPEG-4, MPEG-4 ASP and MxPEG H.265 Metadata support Dual stream (live and recording) per camera Multi-live streaming Client video stream down sampling (resolution and FPS) option Adjustable GOP size (MPEG4/H.264/H.265) Send camera pre-alarm images (pre-recording buffer) to recording server Video recording speed up on motion, event or time schedule Built-in Video Motion Detection (VMD)	\frac{\sqrt{\chi}}{\sqrt{\chi}} \frac{\sqrt{\chi}}{\sqrt{\chi}} \frac{\sqrt{\chi}}{\sqrt{\chi}} \frac{\sqrt{\chi}}{\sqrt{\chi}} \frac{\sqrt{\chi}}{\sqrt{\chi}}	\frac{1}{\sqrt{2}}	\frac{1}{\sqrt{1}}	\frac{1}{\sqrt{2}}	\frac{1}{\sqrt{1}}	/ / / / / / / / / / / / /	\frac{1}{\sqrt{1}} \frac{1}{\sqr
devices) Video processing H.264, MJPEG, MPEG-4, MPEG-4 ASP and MxPEG H.265 Metadata support Dual stream (live and recording) per camera Multi-live streaming Client video stream down sampling (resolution and FPS) option Adjustable GOP size (MPEG4/H.264/H.265) Send camera pre-alarm images (pre-recording buffer) to recording server Video recording speed up on motion, event or time schedule Built-in Video Motion Detection (VMD) Auto adjustable VMD sensitivity	\frac{\sqrt{\chi}}{\sqrt{\chi}} \frac{\sqrt{\chi}}{\sqrt{\chi}} \frac{\sqrt{\chi}}{\sqrt{\chi}} \frac{\sqrt{\chi}}{\sqrt{\chi}} \frac{\sqrt{\chi}}{\sqrt{\chi}} \frac{\sqrt{\chi}}{\sqrt{\chi}} \frac{\sqrt{\chi}}{\sqrt{\chi}}	\frac{1}{\sqrt{2}}	\frac{1}{\sqrt{1}}	\frac{1}{\sqrt{2}}	\frac{1}{\sqrt{1}}	\frac{1}{\sqrt{1}}	\frac{1}{\sqrt{1}}

XProtect VMS Products	XProtect Essential+	XProtect Express	XProtect Express+	XProtect Professional	XProtect Professional+	XProtect Expert	XProtect Corporate
Features							
Video motion detections per server			All c	connected came	eras		
Audio							
One-way audio - live and recording support	✓	✓	✓	✓	✓	✓	✓
Two-way audio - live support	✓	-	✓	✓	✓	✓	✓
Two-way audio – recording support	✓	-	✓	-	✓	✓	✓
Maximum number of supported audio channels	8	48	48	Unrestricted	Unrestricted	Unrestricted	Unrestricted
Pan-tilt-zoom (PTZ)							
Preset positions per camera	Unrestricted	260	Unrestricted	260	Unrestricted	Unrestricted	Unrestricted
Go-to preset on event	√	√	√	√	√	√	√
Preset patrolling	✓	✓	✓	√	✓	✓	✓
Combine patrolling and go-to preset on event	√	-	√	√	√	√	✓
Scanning/transition speed	√	√	√	√	✓	√	✓
Number of PTZ priority levels for prioritized PTZ control	1	1	1	1	3	32,000	32,000
I/O and events							
Hardware configurable events (such as I/O input, motion, tampering, temperature, communication failure)	√	√	√	√	√	√	√
Motion detection events (VMD in recording server)	√	✓	✓	✓	✓	√	✓
System error events (for example disk full)	✓	✓	✓	✓	✓	✓	✓
Manual / User defined events	√	✓	✓	✓	✓	√	✓
Generic events from external systems	✓	✓	✓	✓	✓	✓	✓
Event-based device configuration	✓	-	✓	-	✓	✓	✓
Event-based notification	✓	✓	✓	✓	✓	✓	✓
Event-based output control	✓	✓	✓	✓	✓	✓	✓
Event-based device start/stop	✓	✓	✓	✓	✓	✓	✓
Event-based matrix control	✓	-	✓	✓	✓	✓	✓
Flexible event rule engine for definition of actions on events	✓	-	✓	-	✓	✓	✓
Bookmark function							
Manual bookmarking (quick bookmarking and bookmarking with details)	-	-	-	-	✓	✓	✓
Rule-based bookmarking	-	-	-	-	-	✓	✓
Evidence Lock							
Lock video for one or multiple cameras	-	-	-	-	-	-	√
Retrieve overview of locked video sequences	-	-	-	-	-	-	✓
Define available retention times	-	-	-	-	-	-	✓
Alarm Manager							
Alarm description with work instructions and optional initial owner of alarm	-	-	√	✓ -	√	√ √	✓ /
Time profiles for alarms	-		√		✓ ✓		✓ ✓
View triggered alarms			√	√		√	
Manage alarms (reassign, change status, comment) Push alarms to users of Milestone Mobile ⁽⁵⁾	-	-	√	√	√	√	√
Maximum number of related cameras in alarm	-	√	√	√	√	√	✓
preview window Number of alarm priority levels	-	- 32 000	15 32,000	15 32,000	15 32,000	15 32,000	15 32,000
Customizable alarm priority levels, categories,		32,000					
statuses and result codes Customizable sound notification	-	✓ -	√ √	✓ ✓	√ √	√ √	✓ ✓
Alarm handling reporting	-	-	✓ ✓	✓ ✓	✓ ✓	✓ ✓	√ √
Alarm logging	-		<i>J</i>	<i>J</i>	<i>\</i>	/	√ √
Recording server, storage and archiving		V	V	V		V	V
Pre-recording buffer in RAM	√	_	√	_	√	√	√
Video retention time	Unrestricted	Unrestricted	Unrestricted	Unrestricted	Unrestricted	Unrestricted	Unrestricted
Recording capacity per device/day	Unrestricted	Unrestricted	Unrestricted	Unrestricted	Unrestricted	Unrestricted	Unrestricted
Archiving of recordings with network drive support	√ √	√ √	√ √	√ √	√ √	√ √	√ √
Dynamic archiving (disk spanning)	_		-		-	-	-

XProtect VMS Products	XProtect Essential+	XProtect Express	XProtect Express+	XProtect Professional	XProtect Professional+	XProtect Expert	XProtect Corporate
Features							
Online access to archives	√	√	√	√	√	√	✓
Archiving schedules	Hourly	Hourly	Hourly	Hourly	Hourly	Hourly	Hourly
Automatic storage distribution	-	√ ·	-	✓ ·	-	- 1	- 1
Storage definition and retention time per device	√	✓	√	√	√	√	√
Storage definition and retention time that can be applied to individual cameras or common for multiple devices	√	-	√	-	√	√	√
Multi-stage video storage and data grooming	-	-	-	-	-	√	√
Storage overview (used vs. available space) of available storage drives	√	√	√	√	√	√	√
Event on premature deletion of video due to insufficient physical storage	✓	-	✓	-	✓	✓	✓
Edge Storage support with flexible retrieval	-	-	-	-	✓	✓	✓
Scalable Video Quality Recording™	-	-	-	-	√	√	✓
Evidence Lock	-	-	-	-	-	-	✓
Media database encryption and digital signing	-	-	-	-	-	✓	✓
Multicast support	-	-	-	-	-	✓	√
Integration							
Plug-in, Protocol, Component integration via MIP SDK	✓	✓	✓	✓	✓	✓	✓
System Configuration via MIP SDK	✓	-	✓	-	✓	✓	✓
Metadata integration	✓	-	✓	-	✓	✓	✓
Event integration	✓	✓	✓	✓	✓	✓	✓
Event and action rule engine integration via MIP SDK	√	-	√	-	√	√	√
Support for XProtect Add-on products							
Supports XProtect Access	-	✓	✓	✓	✓	✓	✓
Supports XProtect LPR	-	✓	✓	✓	✓	✓	✓
Supports XProtect Smart Wall	-	-	-	-	-	Option	Included
Supports XProtect Transact	-	✓	✓	✓	✓	✓	✓
Supports XProtect Retail	-	✓	✓	✓	✓	✓	✓
Supports XProtect Screen Recorder	✓	✓	✓	✓	✓	✓	✓
Cupports Milestone ONVIE Builder							
Supports Milestone ONVIF Bridge	-	✓	✓	✓	✓	√	✓
Supports Milestone ONVIF Bridge Management	-	√	√	✓	√	✓	√
	- Unrestricted	5	√ Unrestricted	√ Unrestricted	√ Unrestricted	√ Unrestricted	√ Unrestricted
Management							
Management Maximum number of clients	Unrestricted	5	Unrestricted	Unrestricted	Unrestricted		Unrestricted
Management Maximum number of clients Automatic initial configuration wizard	Unrestricted -	5 √	Unrestricted -	Unrestricted ✓	Unrestricted -	Unrestricted -	Unrestricted -
Management Maximum number of clients Automatic initial configuration wizard Configuration wizards for aided system setup	Unrestricted -	5 √	Unrestricted -	Unrestricted ✓	Unrestricted -	Unrestricted -	Unrestricted -
Management Maximum number of clients Automatic initial configuration wizard Configuration wizards for aided system setup Automatic camera discovery	Unrestricted	5 √ √	Unrestricted	Unrestricted ✓ ✓	Unrestricted - √ -	Unrestricted	Unrestricted
Management Maximum number of clients Automatic initial configuration wizard Configuration wizards for aided system setup Automatic camera discovery Device scanning with device model detection	Unrestricted	5 √ √ √	Unrestricted - ✓ ✓	Unrestricted	Unrestricted - √ - √	Unrestricted - √ - √	Unrestricted
Management Maximum number of clients Automatic initial configuration wizard Configuration wizards for aided system setup Automatic camera discovery Device scanning with device model detection Automatic camera IP address assignment ⁽⁶⁾	Unrestricted	5 √ √ √ √	Unrestricted	Unrestricted	Unrestricted	Unrestricted - √ - √	Unrestricted - - - - - - - - - - - - -
Management Maximum number of clients Automatic initial configuration wizard Configuration wizards for aided system setup Automatic camera discovery Device scanning with device model detection Automatic camera IP address assignment ⁽⁶⁾ Automatic camera time synchronization	Unrestricted	5 √ √ √ √ √	Unrestricted	Unrestricted	Unrestricted	Unrestricted	Unrestricted
Management Maximum number of clients Automatic initial configuration wizard Configuration wizards for aided system setup Automatic camera discovery Device scanning with device model detection Automatic camera IP address assignment(6) Automatic camera time synchronization Device replacement wizard Move device wizard for moving hardware devices	Unrestricted	5	Unrestricted	Unrestricted	Unrestricted	Unrestricted -	Unrestricted
Management Maximum number of clients Automatic initial configuration wizard Configuration wizards for aided system setup Automatic camera discovery Device scanning with device model detection Automatic camera IP address assignment(6) Automatic camera time synchronization Device replacement wizard Move device wizard for moving hardware devices (e.g. cameras) between recording servers	Unrestricted - - - - - - - - - - - - -	5 √ √ √ √ √ √ √ √ ✓	Unrestricted	Unrestricted	Unrestricted	Unrestricted	Unrestricted
Management Maximum number of clients Automatic initial configuration wizard Configuration wizards for aided system setup Automatic camera discovery Device scanning with device model detection Automatic camera IP address assignment(6) Automatic camera time synchronization Device replacement wizard Move device wizard for moving hardware devices (e.g. cameras) between recording servers Centralized recording server & device management	Unrestricted - - - - - - - - - - - - -	5 √ √ √ √ √ √	Unrestricted	Unrestricted	Unrestricted	Unrestricted	Unrestricted
Management Maximum number of clients Automatic initial configuration wizard Configuration wizards for aided system setup Automatic camera discovery Device scanning with device model detection Automatic camera IP address assignment(6) Automatic camera time synchronization Device replacement wizard Move device wizard for moving hardware devices (e.g. cameras) between recording servers Centralized recording server & device management Device group support	Unrestricted - - - - - - - - - - - - -	5 √ √ √ √ √ √ - -	Unrestricted	Unrestricted	Unrestricted - - - - - - - - - - - - -	Unrestricted	Unrestricted
Management Maximum number of clients Automatic initial configuration wizard Configuration wizards for aided system setup Automatic camera discovery Device scanning with device model detection Automatic camera IP address assignment ⁽⁶⁾ Automatic camera time synchronization Device replacement wizard Move device wizard for moving hardware devices (e.g. cameras) between recording servers Centralized recording server & device management Device group support Management Client profiles Centralized management of XProtect Smart Client application options (Number of supported XProtect	Unrestricted	5 √ √ √ √ √ √ - -	Unrestricted	Unrestricted	Unrestricted	Unrestricted	Unrestricted
Management Maximum number of clients Automatic initial configuration wizard Configuration wizards for aided system setup Automatic camera discovery Device scanning with device model detection Automatic camera IP address assignment ⁽⁶⁾ Automatic camera time synchronization Device replacement wizard Move device wizard for moving hardware devices (e.g. cameras) between recording servers Centralized recording server & device management Device group support Management Client profiles Centralized management of XProtect Smart Client application options (Number of supported XProtect Smart Client profiles)	Unrestricted	5 √ √ √ √ √ - - -	Unrestricted	Unrestricted	Unrestricted	Unrestricted	Unrestricted
Management Maximum number of clients Automatic initial configuration wizard Configuration wizards for aided system setup Automatic camera discovery Device scanning with device model detection Automatic camera IP address assignment(6) Automatic camera time synchronization Device replacement wizard Move device wizard for moving hardware devices (e.g. cameras) between recording servers Centralized recording server & device management Device group support Management Client profiles Centralized management of XProtect Smart Client application options (Number of supported XProtect Smart Client profiles) Day length time profile	Unrestricted	5 √ √ √ √ √ - - -	Unrestricted	Unrestricted	Unrestricted	Unrestricted	Unrestricted
Management Maximum number of clients Automatic initial configuration wizard Configuration wizards for aided system setup Automatic camera discovery Device scanning with device model detection Automatic camera IP address assignment(6) Automatic camera time synchronization Device replacement wizard Move device wizard for moving hardware devices (e.g. cameras) between recording servers Centralized recording server & device management Device group support Management Client profiles Centralized management of XProtect Smart Client application options (Number of supported XProtect Smart Client profiles) Day length time profile On-the-fly configuration changes Scheduled start/stop of devices	Unrestricted	5 √ √ √ √ √ - - - - -	Unrestricted	Unrestricted	Unrestricted	Unrestricted	Unrestricted
Management Maximum number of clients Automatic initial configuration wizard Configuration wizards for aided system setup Automatic camera discovery Device scanning with device model detection Automatic camera IP address assignment(6) Automatic camera time synchronization Device replacement wizard Move device wizard for moving hardware devices (e.g. cameras) between recording servers Centralized recording server & device management Device group support Management Client profiles Centralized management of XProtect Smart Client application options (Number of supported XProtect Smart Client profiles) Day length time profile On-the-fly configuration changes Scheduled start/stop of devices Configuration reporting	Unrestricted	5 √ √ √ √ √ - - - - - - - -	Unrestricted	Unrestricted	Unrestricted	Unrestricted	Unrestricted
Management Maximum number of clients Automatic initial configuration wizard Configuration wizards for aided system setup Automatic camera discovery Device scanning with device model detection Automatic camera IP address assignment(6) Automatic camera time synchronization Device replacement wizard Move device wizard for moving hardware devices (e.g. cameras) between recording servers Centralized recording server & device management Device group support Management Client profiles Centralized management of XProtect Smart Client application options (Number of supported XProtect Smart Client profiles) Day length time profile On-the-fly configuration changes Scheduled start/stop of devices Configuration reporting System configuration restore points	Unrestricted	5 √ √ √ √ √ √ − − − − − − − − − ✓ ✓ ✓ ✓ ✓	Unrestricted	Unrestricted	Unrestricted	Unrestricted	Unrestricted
Management Maximum number of clients Automatic initial configuration wizard Configuration wizards for aided system setup Automatic camera discovery Device scanning with device model detection Automatic camera IP address assignment(6) Automatic camera time synchronization Device replacement wizard Move device wizard for moving hardware devices (e.g. cameras) between recording servers Centralized recording server & device management Device group support Management Client profiles Centralized management of XProtect Smart Client application options (Number of supported XProtect Smart Client profiles) Day length time profile On-the-fly configuration changes Scheduled start/stop of devices Configuration reporting System configuration restore points Export and import of configuration data	Unrestricted	5 √ √ √ √ √ - - - - - - - -	Unrestricted	Unrestricted	Unrestricted	Unrestricted	Unrestricted
Management Maximum number of clients Automatic initial configuration wizard Configuration wizards for aided system setup Automatic camera discovery Device scanning with device model detection Automatic camera IP address assignment(6) Automatic camera time synchronization Device replacement wizard Move device wizard for moving hardware devices (e.g. cameras) between recording servers Centralized recording server & device management Device group support Management Client profiles Centralized management of XProtect Smart Client application options (Number of supported XProtect Smart Client profiles) Day length time profile On-the-fly configuration changes Scheduled start/stop of devices Configuration reporting System configuration restore points	Unrestricted	5 √ √ √ √ √ √ √ − − − − − − − − ✓ ✓ ✓ ✓ ✓	Unrestricted	Unrestricted	Unrestricted	Unrestricted	Unrestricted

XProtect VMS Products	XProtect Essential+	XProtect Express	XProtect Express+	XProtect Professional	XProtect Professional+	XProtect Expert	XProtect Corporate
Features							
Add/replace devices without reactivation in offline systems ⁽⁷⁾	✓	✓	✓	✓	✓	✓	✓
Customizable access port with NAT support	√	√	√	√	√	√	√
System Monitoring							
Customizable dashboard for task or component specific live monitoring	-	-	-	-	-	✓	✓
Customizable event trigger thresholds for Normal, Warning and Critical levels	-	-	-	-	-	✓	✓
Real-time and historical system status of management server, event server, recording servers and other XProtect servers	-	-	-	-	-	✓	√
Real-time and historical system status of individual cameras	-	-	-	-	-	✓	✓
Dedicated System Monitor tab that can be displayed as floating window	-	-	-	-	-	✓	✓
XProtect Smart Wall							
Supports XProtect Smart Wall video wall add-on Number of XProtect Smart Walls and XProtect Smart	-	-	-	-	-	Option Unrestricted	Included Unrestricted
Wall displays Number of concurrent video streams	_	_	_	_	_	Unrestricted	Unrestricted
Maximum number of content positions per display	-	-	-		-	100	100
Presets for display layouts and camera content	-	-	-	-	-	√	√ ×
Live video stream content	-	-	-	-	-	√	√
XProtect Smart Client controlled playback of video	-	-	-	-	-	√	√
Support for rich video wall content, including: maps, still images, http pages, alarms, texts, bookmarks, system monitor, etc.	-	-	-	-	-	√	√
Rule-based control of layout and content (including text messages)	-	-	-	-	-	✓	✓
System alarms and notification							
Email notification	√	√	√	√	√	√	√
SMS notification	-	√ -	-	✓ -	-	-	-
Multiple notification profiles	√ √	-	√ √	-	✓ ✓	√ √	✓ ✓
SNMP trap System Watch support	_		_		_	_	_
Customer Dashboard ⁽⁵⁾	√	√	_	√	_	√	_
User authentication and rights management	,				•	•	
Centralized user management	√	-	√	-	√	√	√
Tiered management rights	-	-	-	-	-	-	√
Inheritance of user rights	-	-	-	-	-	-	√
Time schedule controlled user access to devices and functions	-	-	-	-	-	-	✓
Restrict user access by client type (Web Client, Milestone Mobile and Smart Client)	✓	-	✓	-	✓	✓	✓
Basic User (XProtect application accounts)	✓	√	✓	√	√	√	√
Windows User (local Windows accounts) Microsoft Active Directory User (central Active	√ √	-	✓ ✓	✓ ✓	✓ ✓	✓ ✓	✓ ✓
Directory accounts)		,					
Dual authorization (Smart Client users)	-	√ -	√ /	✓ -	√ /	√	√ /
Dual authorization (Management Client users) Two-step verification (Web and Mobile Client users)	-	-	_	-	-	-	✓ ✓
Windows NTLM (NT LAN Manager) authentication	<u>-</u> √	_			<u>-</u> ✓		✓ ✓
Kerberos authentication		-		-	√	√	
Logging			, ,		·	*	, v
System and audit logging	√	√	√	✓	√	√	√
Event logging	_ (8)	√	_ (8)	√	_ (8)	_ (8)	_ (8)
Rule logging	√	-	√	-	√	√	√
Languages (Management Interface)							
Chinese (Simplified)	✓	✓	✓	✓	✓	✓	✓
Chinese (Traditional)	√(9)	√(9)	√(9)	√(9)	√(9)	√(9)	√(9)

XProtect VMS Products	XProtect Essential+	XProtect Express	XProtect Express+	XProtect Professional	XProtect Professional+	XProtect Expert	XProtect Corporate
Features							
Danish	√(9)	√(9)	√(9)	√(9)	√(9)	√(9)	√(9)
English	✓	✓	✓	✓	✓	✓	✓
French	✓	✓	✓	✓	✓	✓	✓
German	√(9)	√(9)	√(9)	√(9)	√(9)	√(9)	√(9)
Italian	√(9)	√(9)	√(9)	√(9)	√(9)	√(9)	√(9)
Japanese	✓	✓	✓	✓	✓	✓	✓
Korean	✓	✓	✓	✓	✓	✓	✓
Portuguese (Brazilian)	✓	✓	✓	✓	✓	✓	✓
Russian	√(9)	√(9)	√(9)	√(9)	√(9)	√(9)	√(9)
Spanish	√(9)	√(9)	√(9)	√(9)	√(9)	√(9)	√(9)
Swedish	√(9)	-	√(9)	-	√(9)	√(9)	√(9)
Turkish	√(9)	-	√(9)	-	√(9)	√(9)	√(9)

Notes

- (1) A hardware devices is the physical unit, server or system connected to the VMS' recording server.
- (2) A camera is the actual camera or video source on the hardware device connected to the VMS' recording server
- (3) For most installations larger than 250 cameras, Milestone recommends using XProtect Professional+, XProtect Expert or XProtect Corporate
- (4) For an overview of supported devices please refer to: https://www.milestonesys.com/solution-partners/supported-hardware/
- (5) Requires Milestone Care Plus service coverage
- (6) On supported devices only, please refer to: https://www.milestonesys.com/solution-partners/supported-hardware/
- (7) For details on actual allowed number of device changes without activation, please refer to: https://www.milestonesys.com/device-change-calculation/
- (8) It is possible to create a rule log entry for specific events that shall be logged
- (9) Installation and user interface localized. Help system and manuals in English only

High-level XProtect client comparison

The table below gives an overview of the different XProtect clients that can be used together with Milestone's XProtect VMS products.

XProtect client	Milestone Mobile	XProtect Web Client	XProtect Smart Client
Key Features			
User platform	Smartphones and tablets	Web browsers	Windows PC
User mobility	High	Medium	Low
Installation required	Yes	No	Yes
User authentication	Yes	Yes	Yes
Dual authorization	-	-	Yes
Two-step verification	Yes	Yes	-
Secure (HTTPS) client-server connection	Yes	Yes	-
Camera search	Yes	Yes	Yes
View live video	Yes	Yes	Yes
Control PTZ cameras	Yes	Yes	Yes
Advanced PTZ camera control	-	-	Yes
Alarm handling	Yes	Yes	Yes
Push Notification ⁽¹⁾	Yes	-	-
Interactive maps	-	-	Yes
Smart Map	-	-	Yes
Trigger I/O events	Yes	Yes	Yes
Playback	Single camera	Multi camera	Multi camera
Sequence Explorer	-	-	Yes
Advanced video search (Smart Search)	-	-	Yes
Evidence Lock	-	-	Yes
Export/share video from one camera	Yes	Yes	Yes
Export video from multiple cameras	-	Yes	Yes
Storyboard function in export	-	-	Yes
Include XProtect Smart Client – Player in export	-	-	Yes
Video Push	Yes	-	-
Dynamic bandwidth adaptation	Yes	Yes	-
Hardware accelerated video decoding	-	-	Yes

Detailed XProtect client comparison

This section provides a detailed comparison between the different XProtect clients, both in relation to each other, and the particular XProtect VMS platforms. The latter is important because some functionality and support of the clients are determined by the specific XProtect product or product version. The features are organized into categories for increased readability.

XProtect Client	Milestone Mobile								ΧI	Protec	t Wel	Clier	nt			XP	rotect	Smar	t Clie	nt		
Feature set when used with specific XProtect VMS platform	XProtect Essential + XProtect Express + XProtect Professional XProtect Professional + XProtect Corporate							New Essential+	XProtect Express	XProtect Express+	XProtect Professional	XProtect Professional+	XProtect Expert	XProtect Corporate	New Essential+	XProtect Express	XProtect Express+	XProtect Professional	XProtect Professional+	XProtect Expert	XProtect Corporate	
General view handling																						
Number of view layouts	2							2						41								
Maximum view items per view	100							100						100								
Optimized view layouts for 4:3 and 16:9 display ratios	-										-				✓							
Corridor optimized view layouts				-							-				✓							
Optimized view layouts for landscape and portrait displays				✓				-						✓								
Cameras from multiple XProtect servers		-			,	/		- ✓							- ✓							
Support for Shared Views and Private Views				√				√						√ ·								
XProtect Smart Wall views				-				-						-						,		
Images and active HTML pages in views				-							-				√							
Hotspot and Carousel in views				-							-							√				
Virtual Matrix in views				-							-				-				✓			
Display bounding boxes based on metadata				-							-				✓	-	✓	-		✓		
Full screen mode				✓							✓							√				
Multi-window functionality with support for full screen or floating windows with synchronized or independent operation				-							-							✓				
Switch to view by number				-							-							✓				
Initial default view				√(2)					√(2)													
Camera Navigator				-							-				✓	-			✓			
Camera search				✓							✓				√							
Automatic restore views and windows at login				✓							✓				✓							
Live view																						
Update on motion only	-									-				✓								
One-way audio support	-							-						√								
Two-way audio support	-									-				✓ - ✓								
Start recording in view	-										-				-							

XProtect Client	Milestone Mobile								XF	rotec	t Wel	Clie	nt			XF	XProtect Smart Client								
Feature set when used with specific XProtect VMS platform								New Essential+	XProtect Express	XProtect Express+	XProtect Professional	XProtect Professional+	XProtect Expert	XProtect Corporate	New Essential+	XProtect Express	XProtect Express+	XProtect Professional	XProtect Professional+	XProtect Expert	XProtect Corporate				
Start/stop recording in view	-							-							✓ - ✓ - ✓										
Independent playback in live mode	-										-				✓										
Replace cameras in view without changing view setup	-							-								✓									
Send camera to Virtual Matrix	-							-								- ✓									
Share video image	Via locally using installed communication applications (such as email)										-				Print, copy to clip-board and save to file										
Switch to camera by number	-										-				✓										
PTZ support																									
Define presets in the client application				-							-				✓										
Define and control patrolling schemes in the client application				-							-				-										
View who have PTZ control and time to automatic release				-							-				✓ - ✓ - ✓										
Lock PTZ control				-							-						-				✓				
Go to preset positions				✓							✓				✓										
Pause patrolling at manual operation				✓							✓							✓							
Immervision Enables® panomorph lens support				-							-				·										
Joystick support				-							-														
Assign commands to keyboard shortcuts and joystick buttons				-							-							✓							
Auxiliary commands (wash and wipe)				-							-							✓							
I/O and events control																									
Camera overlay buttons				-							-							✓							
Manually activate events and trigger outputs				✓							✓							✓							
Playback																									
Maximum view items per view				1				Dyr	namic, 4	-18 dep	ending o	n screer	resoluti	ion				100							
Playback mode			Sing	gle cam	era					Mι	ulti came	ra					Μι	ılti came	ra						
Recording search				✓							✓							✓							
Recent history of recording sequences per camera				✓							-							✓							
Time/date search				✓							✓							✓							
Independent playback in playback mode	-									-							✓								
Event/alert list in recording	-									-				√											
Graphical timeline	-						✓							✓											
Adjust playback speed	✓							✓										✓							
Single frame step (forward/backward)	✓						✓									✓									
One-way audio support	-						-						✓												
Two-way audio support	-							-							✓	-	✓	-		✓					

XProtect Client	Milestone Mobile								XF	Protec	t Wel	Clier	nt			XF	rotect	Smai	t Clie	nt			
Feature set when used with specific XProtect VMS platform	XProtect Express XProtect Express+ XProtect Professional XProtect Professional+ XProtect Expert XProtect Corporate							New Essential+	XProtect Express	XProtect Express+	XProtect Professional	XProtect Professional+	XProtect Expert	XProtect Corporate	New Essential+	XProtect Express	XProtect Express+	XProtect Professional	XProtect Professional+	XProtect Expert	XProtect Corporate		
Digital zoom	√							✓							✓								
Share video image	Via locally installed communication applications (such as email)								Single JPG image export							Print, copy to clip-board and save to file							
Print report with comments	-							-										✓					
Privacy masking	√							✓										✓					
Smart Search																							
Smart Search based on VMD analysis	-							-								✓	-	✓	-				
Smart Search based on VMD metadata	-							-								-	✓	-	- ✓				
Sequence Explorer																							
Dedicated Sequence Explorer tab				-				-										√ /					
Search on sequences and time intervals				-				-										√					
Search on bookmarks				-				-								-			✓				
Smart Search integrated with Sequence Explorer				-				-							✓	-	✓	-		✓			
Bookmark function																							
Manual bookmarking (quick bookmarking and bookmarking with details)				-							-					-				✓			
Instant preview of bookmarks in timeline				-							-					-				✓			
Listing and previewing of bookmarks in recording search				-							-					-				✓			
Print bookmark report				-							-					-				✓			
Direct video export of bookmark				-							-					-				✓			
Alarm Manager																							
Dedicated Alarm Manager tab that can be displayed as floating window				-							-					-			✓				
Alarm list and alarm preview view items in normal camera views				-							-							✓					
Sort and filtering functions				✓							-							✓					
Instant preview of primary and related cameras			I	-							-							✓					
Manage alarms (reassign & change status)	-			√ - √							√												
Manage alarms (comment)	-				✓						-				-				√				
Integration with map function				-							-				-				√				
Alarm description/work instructions	- ✓						-				✓			-			✓						
Escalation and forwarding handling	-						-						-				✓						
Alarm handing reports with print function	-							-						-				✓					
Alarm location maps in alarm list	-							-					-	✓									
Combined access to live and playback video	-							-					-	- ✓									
Audio notification at new alarm (configurable per priority level)	-							-						- ✓									

XProtect Client	Milestone Mobile								XF	rotec	t Web	Clier	nt			ХР	rotect	Smar	t Clie	nt		
Feature set when used with specific XProtect VMS platform	XProtect Essential+	XProtect Express	XProtect Express+	XProtect Professional	XProtect Professional+	XProtect Expert	XProtect Corporate	New Essential+	XProtect Express	XProtect Express+	XProtect Professional	XProtect Professional+	XProtect Expert	XProtect Corporate	New Essential+	XProtect Express	XProtect Express+	XProtect Professional	XProtect Professional+	XProtect Expert	XProtect Corporate	
Push Notification	- 🗸						-							-								
Map function																						
Standard graphical file formats supported for maps	-						-							V								
Number of linked map layers supported	-						-							Unrestricted								
Video preview	-						-															
Integrated control of speakers, microphones and I/O devices	-						-															
Drag-and-drop and point-and-click definition of map elements										-							✓					
Integrated PTZ control				-							-											
Real-time system integrity overview and system performance				-					-							✓ - ✓						
Smart Map function																						
CAD and GIS maps support				-				-										_	/			
Online map services support for Bing, Google and OpenStreetMap				-							-						-			_	/	
Offline map services supported for OpenStreetMap				-							-						-			_	/	
Video preview				-							-						-			_	/	
Support for Milestone Federated Architecture				-							-						-			_	/	
Auto-place devices on map via positioning and direction settings				-							-						-			✓		
Link to standard maps				-							-						-			_	/	
XProtect Smart Wall																						
Supports XProtect Smart Wall video wall add-on				-							-						-			Option	Included	
User control of layout and content				-							-						-			_	,	
User control playback of video in XProtect Smart Wall				-							-						-			_	/	
Local subscription to XProtect Smart Wall views for local display				-							-						-			_	/	
Push rich content to XProtect Smart Wall, such as maps, still images, http pages, alarms, bookmarks, system monitor, etc.				-							-						-			~	,	
Send manual text messages to XProtect Smart Wall				-							-				-						/	
Evidence Lock																						
Lock video for one or multiple cameras				-							-				-						✓	
Retrieve overview of locked video sequences	-								-				-						✓			
Export	·																					
Export in still image format (JPEG)	√								✓				✓									
Export with audio support in media player format (AVI & MKV)				✓				√							✓							
Export in XProtect format				-				✓						✓								
Server side export	✓					✓					-											
Storyboard function in export	-						-						✓									

XProtect Client		1	Milest	one N	1obile	<u> </u>			XF	Protec	t Web	Clier	nt		XProtect Smart Client								
Feature set when used with specific XProtect VMS platform	XProtect Essential+	XProtect Express	XProtect Express+	XProtect Professional	XProtect Professional+	XProtect Expert	XProtect Corporate	New Essential+	XProtect Express	XProtect Express+	XProtect Professional	XProtect Professional+	XProtect Expert	XProtect Corporate	New Essential+	XProtect Express	XProtect Express+	XProtect Professional	XProtect Professional+	XProtect Expert	XProtect Corporate		
Encrypted export with password protection and digital signing(3)				-							-							✓					
Verification of digital video signatures in XProtect Smart Client – Player ⁽³⁾				-							-							✓					
Re-export prevention option (3)				-							-							✓					
Auto-export of XProtect Smart Client – Player(3)				-							-				√								
Preserve system defined privacy masks	✓									✓				✓									
Additional export specific privacy masks	-						-								✓								
Direct export to optical media	-									-				✓									
Flexible camera selection for export	-									-				✓									
Bulk export to multiple media formats	-									-				✓									
General and camera specific export comments ⁽³⁾	-									-				✓									
Pre/post comment slides (media player format only)	-									-				✓									
Video Push																							
Video Push				✓							-							-					
Include location metadata with Video Push	✓	-	✓	-		✓					-							-					
System Monitoring																							
Access real-time and historical system performance information (refer to System Monitor section for the VMS for details)				-							-						-				✓		
Installation																							
Run without installation				-							✓							-					
Optional browser plug-ins for enhance viewing performance				-							✓				-								
Single step installer (installs client together with server)				-							-				✓								
Initial and update installations from management Server ⁽⁴⁾				-							-				✓								
Notify about new updates				✓							-				-								
Smart Connect (Automatic server setup)				✓							-							-					
System access																							
Auto-login				✓							-							✓					
Dual authorization				-							-				-			✓					
Two-step verification			-				✓			-				✓	-								
Secure (HTTPS) client-server connection	✓									✓				-									
Dynamic bandwidth adaptation with threshold setting	✓									✓				-									
Authorization																							
Restrict user access by client type (Web Client, Milestone Mobile and Smart Client)	✓	-	✓	-		✓		✓	-	✓	-		✓		✓	-	✓	-		✓			
Time schedule controlled user access to devices and functions			-				✓							✓			-				✓		

XProtect Client	Milestone Mobile								XF	Protec	t Web	Clier	nt		XProtect Smart Client									
Feature set when used with specific XProtect VMS platform	XProtect Essential+	XProtect Express	XProtect Express+	XProtect Professional	XProtect Professional+	XProtect Expert	XProtect Corporate	New Essential+	XProtect Express	XProtect Express+	XProtect Professional	XProtect Professional+	XProtect Expert	XProtect Corporate	New Essential+	XProtect Express	XProtect Express+	XProtect Professional	XProtect Professional+	XProtect Expert	XProtect Corporate			
Restrict user access by devices (cameras, microphones, I/O devices, etc.)				√							√							√						
Restrict access to live, PTZ control, playback and export											√							√						
Restrict access to setup				_																				
Personalization																								
Toggle between Advanced mode and Simplified mode				-							-							√						
Application options				✓				<u>-</u>								√								
Centralized management of application options								-								-								
Application theme support	_						-								√ ·									
Task-oriented tabs	-									√				√										
System																								
Hardware accelerated video decoding				-							-							√						
Languages (Installation, UI and help function)																								
Arabic				√(5)							√(5)							✓						
Bulgarian				√(5)				√(5)								√(6)								
Croatian				√(5)							√(5)				√(6)									
Chinese (Simplified)				√(5)							√(5)				√									
Chinese (Traditional)				√(5)							√(5)				✓									
Czech				√(5)							√(5)				✓									
Danish				√ ⁽⁵⁾							√ ⁽⁵⁾				V									
Dutch				√ ⁽⁵⁾				√(5)								✓								
English				✓				✓								✓								
Farsi				√ ⁽⁵⁾				√(5)								√(6)								
Finnish				√ ⁽⁵⁾				√(5)								√(6)								
French				√ ⁽⁵⁾				√(5)							√									
German	√(5)						√(5)							✓										
Hebrew	√(5)						√(5)							√(6)										
Hindi				√(5)					√(5)							√(6)								
Hungarian				√(5)					√(5)							√(6)								
Icelandic				√(5)					√(5)							√(6)								
Italian				√(5)					√(5)							√								
Japanese				√(5)							√(5)				√									
Korean				√(5)					√(5)							√ (0)								
Norwegian (Bokmål)				√(5)							√(5)							√(6)						

XProtect Client	Milestone Mobile							XProtect Web Client								XProtect Smart Client							
Feature set when used with specific XProtect VMS platform	XProtect Essential+	XProtect Express	XProtect Express+	XProtect Professional	XProtect Professional+	XProtect Expert	XProtect Corporate	New Essential+	XProtect Express	XProtect Express+	XProtect Professional	XProtect Professional+	XProtect Expert	XProtect Corporate	New Essential+	XProtect Express	XProtect Express+	XProtect Professional	XProtect Professional+	XProtect Expert	XProtect Corporate		
Polish				√(5)				√(5)							✓								
Portuguese (Brazilian)				√(5)				√(5)							✓								
Russian				√(5)				√(5)							✓								
Serbian				√ ⁽⁵⁾				√(5)							√(6)								
Slovak				√(5)				√(5)							√(6)								
Spanish		√(5)						√(5)							✓								
Swedish	√(5)						√(5)							√									
Thai		√(5)							√(5)							√(6)							
Turkish	√(5)							√(5)							✓								

Notes:

- (1) Requires Milestone Care Plus service coverage
- (2) Initial views created when using the "single computer" installation option
- (3) Feature only applicable to exports in XProtect format
- (4) Image server in XProtect Express and XProtect Professional
- (5) Milestone mobile server localized to same languages as the management interface and documentation is only available in English
- (6) Only the user interface is localized; user's manual and online help is not localized